PRONTO-II®

PA200 Series Console




SPECIFICATIONS []

| SPECIFICATIONS | |
|------------------------------------|-------------------------------|
| Weight of Target | 11 lbs. (5 kg) |
| Profile of Target | 18 in. (457 mm) |
| Installation Time | 10 - 15 seconds |
| Rolling Compensation Style | Back / Forward |
| Camera Resolution | 2,608 x 1,952 / 10 million px |
| Track Width | 80 in. (2032 mm) |
| Wheel Base | 210 in. (5334 mm) |
| Distanct to Wall | 65 - 97 in. (1651 - 2464 mm) |
| Suggested Distance | 97 in. (2464 mm) |
| Short Bay Distance (see site info) | 65 in. (1651 mm) |


| MEASUREMENTS | |
|-------------------------|----------|
| S.A.I. & Included Angle | V |
| Set Back | ✓ |
| Max Steering Angle | To Lock |
| Wheelbase Difference | ✓ |
| Track Width Difference | ✓ |
| Lateral Offset | ✓ |
| Rear Set Back | ✓ |
| Axle Offset | ✓ |







| DIMENSIONS | |
|-----------------------------------|--|
| Console Width (W1) | 32 in. (813 mm) |
| Console Height (H1) | 65 - 68 in. (1651 - 1757 mm) |
| Console Depth (D1) | 25 in. (635 mm) |
| Sensor Width (W2) | 105 in. (2667 mm) |
| Sensor Height (H2) | 122.5 in. (3112 mm) |
| Sensor Depth (D2) | 15 in. (381 mm) |
| Vertical Camera Movement Range | 56 - 113.5 in. (1422 - 2883 mm) [from floor] |



For alignment information visit: hunter.com/alignment-machines

D1

For local contact visit: hunter.com/contact

For general inquiries visit: www.hunter.com or call 800-448-6848