









Step 1

CHOOSE YOUR COLOR

Ultimate ADAS®, ADASLink® with first-year static calibration subscription, 32" monitor, universal targets, radar flat plate, camera target boards, and remote stand with #320 Corner Cube








UAD145-BLK E

Black


Step 2










Step 2 (cont.)







Step 2 (cont.)





Step 2 (cont.)





Step 3

ADD ACCESSORIES

Wheel Off Adaptors — 20-2664-1	Adjustable Hooks — 20-2521-1
Wide Angle Targets — 20-2511-1	FCA/Honda Radar Tool — 20-3326-1
Medium Duty Extenders — 20-2621-1	Other

Step 4

DISCUSS STORAGE REQUIREMENTS

It is recommended to store Ultimate ADAS® targets neatly and safely to avoid damage. If ample storage is not available, consider options from vendors like Uline or others that fit your customer's needs.

ADASLINK STANDARD FOR DYNAMIC ADAS CALIBRATIONS



- Full diagnostic scan tool (including new topology feature)
- Integrated and Guided Static ADAS procedures
- Dynamic ADAS calibrations Integrated
- Secure gateway capability
- Steering System Resets Integrated



















































LOCAL SOURCE STORAGE EXAMPLE



- Meets multiple OE requirements
- Secure, protected and mobility in one
- Size and color options
- Add casters for mobile



Your trusted service professionals

- 520+ independent Technical and Training Representatives in U.S. and Canada
- All Reps complete a 9-week advanced training course
- 80% of Reps live within 60 miles of most customers
- On-site product training by Hunter-certified Technical and Training Reps
- ☆ 98% of customers recommend Hunter products based on service



Because of continuing technological advances, specifications, models and options are subject to change without notice.

Ultimate ADAS and ADASLink are registered trademarks of Hunter Engineering Company.

