





1919 Torrance Boulevard Torrance, CA 90501 Tel: (800) 999-1009

Acura: TLX: 2021: All Wheel Drive







SAMPLE Page 1 of 4

Repair Order: R016724 VIN: 19UUB5F35MA000992




COMPLETE


Side-facing radars detect vehicles and objects in the rear blind spots of the driver. These components often assist with blind spot detection, lane change assistance and parking assistance. Refer to your vehicle's user manual to determine which specific functions it provides.



Target(s) used:


322







✓ Designated area confirmed



Radar reflector stand placed

✓ Laser measurement confirmed



ि Calibrate side facing radar

✓ Calibration confirmed

| Measurements         | X          | Υ          | Z        |  |
|----------------------|------------|------------|----------|--|
| Target (Position #1) | -2456.8 mm | -1383.0 mm | 721.7 mm |  |

-x +2 0 0 +x

**Hunter Ultimate ADAS Equipment Calibration Status** 

Last Calibration Verification: 2024-07-16 07:42:31 AM  $\checkmark$ 

SAMPLE Page 2 of 4

Repair Order: R016724 VIN: 19UUB5F35MA000992



## **Forward-Facing Camera**

Single Recognition

COMPLETE

Forward-facing cameras track and analyze your driving environment. These components often assist with lane departure warnings, traffic sign detection, forward collision warnings, adaptive cruise control, pedestrian detection, and automatic high beams. Refer to your vehicle's user manual to determine which specific functions it provides.






Target(s) used:


2,4







✓ Designated area confirmed



Targets placed in front of vehicle


Target 3D position and orientation confirmed



Calibrate vehicle forward facing camera to target

✓ Calibration confirmed

| Measurements         | Χ         | Υ         | Z         | Pitch | Yaw   | Roll |
|----------------------|-----------|-----------|-----------|-------|-------|------|
| Target (Position #1) | -634.0 mm | 6676.7 mm | 1531.1 mm | -0.0° | -0.0° | 0.0° |
| Target (Position #2) | 626.7 mm  | 6680.6 mm | 1531.0 mm | -0.0° | -0.0° | 0.0° |




**Hunter Ultimate ADAS Equipment Calibration Status** 

Last Calibration Verification: 2024-07-16 07:42:31 AM ✓

SAMPLE Page 3 of 4

Repair Order: R016724 VIN: 19UUB5F35MA000992



COMPLETE


Surround cameras track and analyze your immediate surroundings. These components often assist with blind spot detection, lane change assistance and parking assistance. Refer to your vehicle's user manual to determine which specific functions it provides.






Target(s) used: 302, 303








✓ Designated area confirmed




Laser guided placement

✓ Laser measurement confirmed



Laser guided placement

✓ Laser measurement confirmed



Ĉ Calibrate left view camera

✓ Calibration confirmed

**Hunter Ultimate ADAS Equipment Calibration Status** 

Last Calibration Verification: 2024-07-16 07:42:31 AM ✓

SAMPLE Page 4 of 4