



# Inspection Ordering Guide

Choose the right inspection equipment for your market



PASSENGER



MEDIUM-DUTY



HEAVY-DUTY

Learn more at  
[hunter.com/vehicle-inspection](http://hunter.com/vehicle-inspection)



# INSPECTION EQUIPMENT CONSIDERATIONS



Flightboard™ available with all systems (monitor not included)

## Alignment Sensors

<b>Passenger</b>	<b>DRV1</b>	Best for wheel assemblies up to approx. 32" in diameter
<b>Commercial</b>	<b>HDRV1</b>	Best for wheel assemblies greater than 30" in diameter

## Tread Depth Sensors

<b>Passenger</b>	<b>QTEF</b>	Best for vehicles up to 7,000 lbs. per axle
<b>Commercial</b>	<b>QTHD</b>	Best for vehicles from 7,000 to 20,000 lbs. per axle

## Console

<b>Passenger</b>	<b>WU592</b>	Pair with DRV1 and QTEF tread sensors
<b>Medium-Duty</b>	<b>WU592MD</b>	Pair with DRV1 and QTHD sensors
<b>Commercial</b>	<b>WU592HD</b>	Pair with HRDV1 and QTHD tread sensors



Optional

## Make/Model Examples:

**LIGHT-DUTY CONFIGURATION**

**MEDIUM-DUTY CONFIGURATION**

**HEAVY-DUTY CONFIGURATION**



Kia Rio



Ram 3500 HD



Peterbilt 759

PASSENGER



Hyundai Palisade



Mack Granite

HDRV1  
QTHD  
WU592HD



ice	
Address Type	
ADDITIONAL	

**R TRAILERS**




**DUMP TRUCKS AND ABOVE**




**BOX TRUCKS**

**Inspection Serviceability**

ALIGNMENT CHECK:  
TREAD CHECK:  
WinAlign® CONSOLE:



DRV1  
QTEF  
WU592



DRV1  
QTHD  
WU592MD



Choose a long or short focal length

# EXTERNAL CAMERA

## Maximize readability and accuracy

- ✓ External camera solves difficult install situations such as low lighting, daylight glare, and field of view obstacles
- ✓ Flexible camera installation options include indoor or outdoor placement, ceiling- or wall-mounted, and center or off-center locations



### Service Writer Configuration - Long Focal Length Recommended



**20-3541-1**

### Long focal length camera for Quick Check Drive®

For plate-to-camera distance of greater than 180 in. Used with systems installed in the middle of service drive

### Lane Entrance Configuration - Short Focal Length Recommended



**20-3541-1**

### Long focal length camera for Quick Check Drive®

For plate-to-camera distance of greater than 180 in. Used with systems installed in the middle of service drive











































Automatically display results

# FLIGHTBOARD™

## Light-duty results display with Flightboard™ using HunterNet®

Results shown dependent on selected equipment. Passenger inspection systems only display up to four wheels per vehicle. For two-axle vehicles with more than four wheels, like dually pickups, an HD console is required.

**HARRISON** auto mall **Welcome to Harrison Auto Mall**

Vehicle	Wheel Alignment	Front Tires	Rear Tires
 Honda : Accord : 2017 CA 6WNV647 11:43	 <b>Recommend a comprehensive alignment check</b> ⚠ May require Safety System Alignment®	 4  4	 2  2
 Toyota : Sienna CE : 2014 CO 139XDH 11:36	 All measured angles passed	 4  4	 3  4
 Nissan : Sentra : 2016 OH FYW1888 11:32	 All measured angles passed	 9  9	 10  10
 Ford : F150 4X4 : 2017 IN 592ANR 11:29	 <b>Recommend a comprehensive alignment check</b> ⚠ May require Safety System Alignment®	 2  4	 4  1
 Nissan : Versa : 2016 KS 355ADZ 11:24	 All measured angles passed	 8  8	 9  9
 Dodge : Grand Caravan : 2014 MO AC6Z8S 11:21	 <b>Recommend a comprehensive alignment check</b>	 4  4	 4  4
 Honda : Accord Hybrid : 2014 NV 740XTN 11:19	 All measured angles passed	 6  6	 7  7










LIGHT-DUTY



## Medium- and Heavy-Duty Flightboard™ using HunterNet®

Heavy-duty console required to display more than four wheels per vehicle. Results shown dependent on selected equipment.

**BIG TRUCK** Tony's CENTERS **Welcome to Big Tony's Truck Service**

Vehicle	Wheel Alignment	Steer Tires	Drive Tires	Additional Tires
 Quick Check : Heavy Duty : 13:09 PA AE89002	 <b>Recommend a comprehensive alignment check</b>	10 3 4 11	8 7 8 5 7 8 8 9 9 8 9 9	4 ADDITIONAL +1 +2 +1   
 Quick Check : Heavy Duty : 12:23 MO AC6Z8S	 All measured angles passed	11 11 11 11		
 Quick Check : Heavy Duty : 12:56 WV B103658	 <b>Recommend a comprehensive alignment check</b>	5 5 5	6 6 5 5 6 6	

MEDIUM-DUTY



HEAVY-DUTY



# ORDERING

## Passenger alignment & tread depth supergroup

### 1 Sensors

✓ QCD

**HDRV1**

Quick Check Drive® alignment sensors



**Supergroups include:**  
BDC Damage-Cam with standard 90-day storage\*



+

### 2 Console

✓ 92

**WU592**

wall-mounted console



+

### Recommended 3 Tire Tread

✓ TF

**QTEF**

Quick Tread Edge® flush-mounted\* sensors



+

### Recommended 4 Enhanced Vehicle ID

✓ ECS

**20-3584-1**

External vehicle identification camera\*\* (short focal length)



=

**QCD92TFECS**



## Stand-Alone Passenger Tread Depth

### 1 Sensors

✓ QTE

**QTE**

Quick Tread Edge® sensors



+

### 2 Console

✓ 92

**WU592**

wall-mounted Quick Tread Edge® console



+

### Recommended 3 Tire Tread

✓ F

**QTEF**

Quick Tread Edge® flush-mounted sensors



+

### Recommended 4 Enhanced Vehicle ID

✓ IDS

**QIDS**

Quick ID™ vehicle identification system (short focal length)



=

**QTE92IDS**



\* Requires active HunterNet® subscription (3-years included)

\*\* Recommended in all locales for best performance on new/redesigned license plates. Refer to 7563-T for more details

# Medium-Duty Alignment & Tread Depth a-la-carte

## 1 Sensors

✓ **QCD**

**HDRV1**

Quick Check Drive® alignment sensors



**Supergroups include:**  
BDC Damage-Cam with standard 90-day storage\*

## 2 Console

✓ **WU592HD**

**WU592HD**

wall-mounted console




Recommended

## 3 Tire Tread

✓ **T**

**QTHD**

Quick Tread HD® flush-mounted\* sensors



Recommended

## 4 Enhanced Vehicle ID

✓ **20-3584-1**

**20-3584-1**

External vehicle identification camera\*\* (short focal length)



# Heavy-Duty Alignment & Tread Depth Supergroup

## 1 Sensors

✓ **QCHD**

**HDRV1**

Quick Check HD alignment sensors



## 2 Console

✓ **92**

**WU592HD**

wall-mounted console




Recommended

## 3 Tire Tread

✓ **T**

**QTHD**

Quick Tread HD flush-mounted\* sensors



Recommended

## 4 Enhanced Vehicle ID

✓ **ECS**

**20-3584-1**

External vehicle identification camera\*\* (short focal length)



**or 20-3541-1**  
long focal length option

= **QCHD92TECS**




# Tread depth a-la-carte

## 1 Tire Tread

✓ **QTHD**

Quick Tread HD flush-mounted\* sensors



## 2 QuickID™

✓ **QIDS**

External vehicle identification camera\*\* (short focal length)



**or QID**  
for long focal length option

## 3 Tire Tread

✓ **WU592HD**

Wall-mounted console



# FLUSH-MOUNT PIT INSERT


**20-3701-1 for QTEF**

## Quick Pit Single Pour Frame and Tub

For vehicles with axle weight **up to 7,000 lbs.**

Complete QTEF pit construction in as few as eight hours and avoid lengthy service drive disruptions.\*

*Ordered separately.*





**20-3818-1 for QTHD**

## Heavy-Duty Quick Pit Single Pour Frame and Tub

For vehicles with axle weight **greater than 7,000 lbs..**

Complete QTEF pit construction in as few as eight hours and avoid lengthy service drive disruptions.\*

*Ordered separately.*



*\*Total construction time requirements determined by local contractor.*

## Your local Hunter team is ready to help

- ✂ Receive same- or next-day service
- 📞 Get a free quote or on-site demo
- 📖 Register for ASE-accredited training courses
- 🗨 General information and questions



Contact your local team

[hunter.com/contact](https://hunter.com/contact)

Because of continuing technological advances, specifications, models and options are subject to change without notice.

Quick Check®, Quick Check Drive®, Quick Tread®, Quick Tread Edge®, HunterNet®, and WinAlign® are registered trademarks of Hunter Engineering Company.

1024CH

Copyright © 2024, Hunter Engineering Company

**HUNTER**  
**Engineering Company**

[www.hunter.com](https://www.hunter.com)

Form QB08046-00, 10/24

Supersedes form QB08046-00, 07/22