



1919 Torrance Boulevard  
Torrance, CA 90501  
Tel: (800) 999-1009

Honda : CR-V : 2022 : All Wheel Drive



## Wheel Alignment

WinAlign 18.1 - 2025.0.2 Specification Database



**COMPLETE**

Before Measurements			Current Measurements		
<p><b>Left Front</b></p> <p>-0.6° -0.8° -1.4° Camber</p> <p>4.2° 3.7° 3.4° Caster</p> <p>-0.04° 0.14° 0.12° Toe</p>	<p><b>Front</b></p> <p>-0.07° 0.17° 0.23° Total Toe</p> <p>-0.05° 0.06° 0.05° Steer Ahead</p>	<p><b>Right Front</b></p> <p>-1.4° -0.9° -0.6° Camber</p> <p>3.4° 3.7° 4.2° Caster</p> <p>0.12° 0.03° -0.04° Toe</p>	<p><b>Left Front</b></p> <p>-0.6° -0.8° -1.4° Camber</p> <p>4.2° 3.7° 3.4° Caster</p> <p>0.12° -0.03° -0.04° Toe</p>	<p><b>Front</b></p> <p>-0.07° 0.17° 0.23° Total Toe</p> <p>-0.05° 0.00° 0.05° Steer Ahead</p>	<p><b>Right Front</b></p> <p>-1.4° -0.9° -0.6° Camber</p> <p>3.4° 3.7° 4.2° Caster</p> <p>0.12° 0.03° -0.04° Toe</p>
<p><b>Left Rear</b></p> <p>-0.7° -1.1° -1.5° Camber</p> <p>-0.04° 0.49° 0.12° Toe</p>	<p><b>Rear</b></p> <p>-0.07° 0.46° 0.23° Total Toe</p> <p>-0.10° 0.25° 0.10° Thrust Angle</p>	<p><b>Right Rear</b></p> <p>-1.5° -0.9° -0.7° Camber</p> <p>0.12° -0.02° -0.04° Toe</p>	<p><b>Left Rear</b></p> <p>-0.7° -1.2° -1.5° Camber</p> <p>-0.04° 0.05° 0.12° Toe</p>	<p><b>Rear</b></p> <p>-0.07° 0.03° 0.23° Total Toe</p> <p>-0.10° 0.03° 0.10° Thrust Angle</p>	<p><b>Right Rear</b></p> <p>-1.5° -0.9° -0.7° Camber</p> <p>0.12° -0.02° -0.04° Toe</p>



## Steering System Reset

**COMPLETE**

Before	Current
<p> Electronic Stability Control (ESC) +0.5°</p>	<p> Electronic Stability Control (ESC) +0.0°</p>




# Side-View Camera


Left Rear

**COMPLETE**


Side-facing radars detect vehicles and objects in the rear blind spots of the driver. These components often assist with blind spot detection, lane change assistance and parking assistance. Refer to your vehicle's user manual to determine which specific functions it provides.




Target(s) used:  
300



Workspace clear of obstructions  
✓ Designated area confirmed




Target stand placed  
✓ Laser measurement confirmed



Calibrate side view cameras  
✓ Calibration confirmed

Measurements	X	Y	Z	Yaw
Target (Position #1)	-1701.8 mm	-1995.1 mm	1303.2 mm	1.5°



Hunter Ultimate ADAS Equipment Calibration Status  
Last Calibration Verification: 2024-07-16 07:42:31 AM ✓




# Forward-Facing Camera


Single Recognition

**COMPLETE**


Forward-facing cameras track and analyze your driving environment. These components often assist with lane departure warnings, traffic sign detection, forward collision warnings, adaptive cruise control, pedestrian detection, and automatic high beams. Refer to your vehicle's user manual to determine which specific functions it provides.



Target(s) used:  
2, 4



Workspace clear of obstructions  
✓ Designated area confirmed




Targets placed in front of vehicle  
✓ Target 3D position and orientation confirmed



Calibrate vehicle forward facing camera to target  
✓ Calibration confirmed

Measurements	X	Y	Z	Roll	Pitch	Yaw
Target (Position #1)	-634.0 mm	6676.7 mm	1531.1 mm	-0.0°	-0.0°	0.0°
Target (Position #2)	626.7 mm	6680.6 mm	1531.0 mm	-0.0°	-0.0°	0.0°



Hunter Ultimate ADAS Equipment Calibration Status  
Last Calibration Verification: 2024-07-16 07:42:31 AM ✓




# Forward-Facing Radar


Corner Cube

**COMPLETE**


Forward-facing radars detect vehicles and objects in front of the driver. These components often assist with adaptive cruise control, automatic emergency braking, forward collision warnings, and front lane change assistance. Refer to your vehicle's user manual to determine which specific functions it provides.



Target(s) used:  
320



Workspace clear of obstructions  
✓ Designated area confirmed



Radar reflector stand placed  
✓ Laser measurement confirmed



Calibrate forward facing radar  
✓ Calibration confirmed

Measurements	X	Y	Z
Target (Position #1)	-1.9 mm	6607.3 mm	853 mm

Hunter Ultimate ADAS Equipment Calibration Status  
Last Calibration Verification: 2024-07-16 07:42:31 AM ✓

